




## INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

<b>(51) International Patent Classification <sup>6</sup> :</b> <b>H04N 7/10, 7/14</b>	<b>A1</b>	<b>(11) International Publication Number:</b> <b>WO 00/33575</b> <b>(43) International Publication Date:</b> 8 June 2000 (08.06.00)
<b>(21) International Application Number:</b> PCT/US99/28358 <b>(22) International Filing Date:</b> 30 November 1999 (30.11.99) <b>(30) Priority Data:</b> 60/110,299 30 November 1998 (30.11.98) US <b>(71)(72) Applicant and Inventor:</b> YUEN, Henry, C. [US/US]; P.O. Box 438, Pasadena, CA 91102-0438 (US). <b>(74) Agent:</b> MONROE, Wesley, W.; Christie, Parker & Hale, LLP, P.O. Box 7068, Pasadena, CA 91109-7068 (US).		<b>(81) Designated States:</b> AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK, DM, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).  <b>Published</b> <i>With international search report.</i>

**(54) Title:** SEARCH ENGINE FOR VIDEO AND GRAPHICS**(57) Abstract**

A method of selecting graphic or video files having corresponding locators used to locate such graphic or video files using a computer. Identifiers are created and saved to memory (20) by searching an area within a web page near a graphic or video file for searchable identification terms and searching an area within a web page near links to a graphic or video for searchable identification terms. User requests for graphic or video file content are received and the database of identifiers search is initiated (22) to find graphic and video files corresponding to criteria of the user. Graphic or video file content is then provided to the user.



**FOR THE PURPOSES OF INFORMATION ONLY**

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav	TM	Turkmenistan
BF	Burkina Faso	GR	Greece		Republic of Macedonia	TR	Turkey
BG	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MN	Mongolia	UA	Ukraine
BR	Brazil	IL	Israel	MR	Mauritania	UG	Uganda
BY	Belarus	IS	Iceland	MW	Malawi	US	United States of America
CA	Canada	IT	Italy	MX	Mexico	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NE	Niger	VN	Viet Nam
CG	Congo	KE	Kenya	NL	Netherlands	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NO	Norway	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's	NZ	New Zealand		
CM	Cameroon		Republic of Korea	PL	Poland		
CN	China	KR	Republic of Korea	PT	Portugal		
CU	Cuba	KZ	Kazakstan	RO	Romania		
CZ	Czech Republic	LC	Saint Lucia	RU	Russian Federation		
DE	Germany	LI	Liechtenstein	SD	Sudan		
DK	Denmark	LK	Sri Lanka	SE	Sweden		
EE	Estonia	LR	Liberia	SG	Singapore		

## SEARCH ENGINE FOR VIDEO AND GRAPHICS

### REFERENCE TO RELATED APPLICATION

This application claims priority in United States Provisional Application No. 60/110,299, the contents of which are incorporated herein by reference.

### FIELD OF THE INVENTION

This invention relates generally to Internet search engines, and more particularly to a search engine for retrieval of video and graphics over the Internet.

### BACKGROUND OF THE INVENTION

Over the past few years, the amount of content available over the Internet has grown tremendously. Much of the Internet's content is distributed widely across many locations. Therefore, a search engine and/or navigator is required for meaningful retrieval of information. There are numerous search engines and navigators available to search for specific content on the Internet.

Current search engines and navigators are designed to search for text within the text contained in web pages or other files on the Internet or a written description of the web page to be located. A search engine stores the location of a given piece of information and various descriptions of the information in a database that is searchable by a user. Often, the information to be located is itself descriptive.

A search engine may rely upon the content providers to establish both the location of the content and descriptive search terms to enable users of the search engine to find the content. Alternatively, the process of search engine registration is automated. A content provider places a "meta-tag" into their web page or other content. The "meta-tag" contains keywords that a search engine can index the page location upon to enable searching. The "meta-tag" is not displayed by a page reader's web browser software.

A search engine may use a web crawler to search for content on the Internet. The web crawler automatically "spiders" through web pages by following every link from one web page to other web pages until all of the links are exhausted. As the web crawler spiders through pages, the web crawler correlates the descriptive tags on each page viewed with the location of the page to construct a searchable database.

Recently, advances in Internet access have enabled more users to create video and graphic content and to distribute that content over the Internet. Furthermore, video streams are becoming more and more common as a form of content on the Internet. As with text and file content, the increasingly large amount of video and graphic content is distributed widely across many locations, thus creating the need for a search engine and/or navigator for meaningful retrieval of information.

1           The need to be able to search for video or graphics will only continue to grow as streaming  
video becomes more available and popular over the Internet or similar information transferral  
systems, such as on-line services, Intranets, etc. Furthermore, as personal computers and other  
office or home equipment develop larger and larger memory and storage capacity, the storage of  
5   video streams will become even more common and the need for a video search engine ("VSE")  
will increase.

          Video and graphic content does not lend itself to easy searching because video and  
graphics often do not contain any text description that can be searched with a currently available  
navigator or search engine. Furthermore, there is no uniform format for identifying and  
10   describing a video or a graphic. Therefore, currently available search engines and browsers are  
inefficient and unusable for meaningful retrieval of video and graphic information over the  
Internet. There is currently no easy or direct way to search for a video or to search, display,  
select, or take action on, video streams. As the usage of video streams becomes even more  
common, there is a need for a centralized navigator and search engine for video streams.

15           One object of the present invention is to provide a search engine for graphics and video.

#### SUMMARY OF THE INVENTION

          The present invention provides a method of searching for graphic or video files having  
corresponding locators used to locate such graphic or video files using a computer. The method  
20   comprises creating an identifier of searchable file information from identifier information related  
to a graphic or video file and       storing the identifier and the locator for the graphic or video  
file in a database. The method further comprises receiving search criteria; searching the  
identifiers in the database in order to select content matching the request of the user. The results  
of the search are sent or displayed for the user. In another embodiment of the present invention,  
25   video and graphic content is provided to a user based on user submitted criteria.

          In a preferred embodiment of the present invention, identifiers are created by searching  
an area within a web page near a graphic or video file for searchable identification terms and by  
searching an area within web pages near links to a graphic or video file.

          The present invention provides a system for searching for graphic or video files having  
corresponding locators used to locate such graphic or video files. The system comprises a means  
30   for creating an identifier containing searchable file information from identifier information  
related to a graphic or video file. The system further comprises a database for saving an  
identifier, as well as an input for receiving search criterion from a user. The system uses a search  
engine to search the identifiers in the database. The system sends or displays the results of the  
35   search for the user.

          These and other aspects of the present invention are more readily understood when  
considered in conjunction with the accompanying drawings and the following detailed  
description.

## DESCRIPTION OF THE DRAWINGS

FIG. 1 is a block diagram of a system utilizing a video search engine in accordance with one embodiment of the present invention.

FIG. 2 is a flow diagram of a process of content development, identifier creation, and search.

FIG. 3 illustrates a video frame with embedded identifier information in accordance with the present invention.

FIG. 4 is a flow diagram of a search process of the present invention.

## DETAILED DESCRIPTION

An overview of a video search engine ("VSE") in accordance with the present invention is illustrated in FIG. 1. The system of FIG. 1 comprises a content provider 10, a search engine 12, and a content viewer 14. The content provider, the search engine, and the content viewer, are coupled to each other via a remote communication interface 15. In the embodiment described, the remote communication interface comprises the Internet, although in alternative embodiments the remote communication interface comprises an Intranet, or other computer to computer interface. In the embodiment described, the content site, the search site, and the viewer site all comprise computers. In alternative embodiments, the content site, the search site, and/or the viewer site comprise set-top boxes. In another embodiment, one site may contain more than one of the viewer site, content site, and search site, such as one site containing both the viewer site and the search engine.

An overview of a process in accordance with one embodiment of the present invention is shown in FIG. 2. The graphic or video content is created 16. Identifier information is inserted into the graphic or video file, or the area surrounding a graphic or video file link 18. The process receives searchable identifier information including the location of the file and creates an identifier entry in a storage device 20. The process receives a request for video or graphic content from a user 22. The process conducts a search for video or graphic content and displays the results to the user 24. The process provides numerous services on the selected video and graphic files to the user 26.

Graphic or video content is created using specialized software and hardware, as well as other equipment such as a camera. For example, a graphic may be created by scanning a picture with a scanner, or by creating a freehand drawing in a drawing program. A video may be created for example by using a digital video camera, or by digitizing analog video using a video capture board in a computer. As used herein the term video includes animation.

In an embodiment of the present invention, the process for searching and manipulating video and graphic content over the Internet comprises a system of identifiers. An identifier is created for each graphic or video file from pieces of information herein called identifier information. As shown in the examples below, an identifier for a video file comprises one or

1 more of the following: a text string or other searchable attribute of a whole, segment, frame, or sub element of a video. The identifiers are used to consistently identify a whole, segment, frame, or sub element of a video. An identifier for a graphic file comprises a text string or other searchable attribute of the graphic file.

5 Examples of identifiers are shown below. Example 1 is a whole video. Example 2 is a video segment identifier. Example 3 is a video frame identifier.

#### Example 1

A **whole video** identifier comprises one or more of the following:

- 10 • Format of video stream
- Size of video stream
- Play time of video stream (including number of frames)
- Whether or not sound is contained
- Date of creation
- 15 • Category of video stream
- Whether it requires conditional access or payment
- Text description of the video stream (This may also be broken down into additional fields including: content, author, director, year made, category, actor/actresses, owner, star rating, and parental control code.)
- 20 • Representative frame of the video stream
- Representative audio stream
- Number of identified segments in the video stream
- Number of identified frames in the video stream
- A unique ID
- 25 • Linking and other association information

#### Example 2

A **video segment** identifier comprises one or more of the following:

- Unique ID of the video stream to which it is a segment
- 30 • Segment sequence information (from frame x to frame y) which allows unique identification of the frame when used with the unique ID of the video stream
- Category of video segment
- Whether it requires conditional access or payment
- Text description of the video segment (This may also be broken down into additional fields including: content, author or director, year made, category, actor/actresses, owner, star rating, and parental control code.)
- 35 • Representative frame of the video segment
- Representative audio stream

- Number of identified segments in the video segment
- Number of identified frames in the video segment
- Linking and other association information

### Example 3

A **video frame** identifier comprises one or more of the following:

- Unique ID of the video stream in which it is a frame
- Frame sequence information which allows unique identification of the frame when used with the unique ID of the video stream
- Category of video frame
- Whether it requires conditional access or payment
- Text description of the video frame (This may also be broken down into additional fields including: content, author or director, year made, category, actor/actresses, owner, star rating, parental control code.)
- Linking and other association information

In a preferred embodiment, the textual elements of the identifier are standardized to facilitate creation, searching and archiving. In additional embodiments, one or more of the textual elements of the identifier is in coded, compressed or encrypted form. Additionally, the textual elements in coded form utilize static and/or dynamic dictionaries.

In an embodiment of the present invention, the process for integrating identifier information into a video or graphic file is a part of the creation of the graphic or video file. The process is resident in the software or hardware used to create the content, and integrates identifier information into the graphic or video automatically as the video or graphic is saved to a storage device, such as a hard disk, optical disk, floppy disk or similar device.

In an alternative embodiment of the present invention, a process for integrating identifier information into a video or graphic file is performed after the creation of the graphic or video. Already created graphic or video files are submitted to a process server along with desired identifier information and the files are modified with identifier information. The modified file is saved to a storage device, such as a hard disk, optical disk, floppy disk or similar device.

The process provides a means of attaching identifier information to a video in a manner that does not interfere with the viewing clarity of the video. In an embodiment of the present invention, the process integrates textual identifier information into the filename of the video stream or graphic file. In an alternative embodiment of the present invention, the identifier information is located in a part of the file that is not displayed by viewer software, such as at the beginning or the end of the file.

In a preferred embodiment of the present invention, as shown in FIG. 3, the textual identifier information 28 is embedded in each frame of a video, so that the video is identifiable

1 to the accuracy of a frame. In a more preferred embodiment of the present invention the textual  
identifier information 28 is placed on the outside periphery of each frame of the video 30. In a  
particularly preferred embodiment of the present invention, the placing of the identifier  
information is hidden by displaying the video stream within a graphically created frame 32 that  
5 overlaps the periphery of the video so as to obscure the identifier information placed in the  
periphery of the video. In another embodiment of the present invention a graphic file has textual  
identifier information placed on its periphery as done with a video stream above.

In another embodiment of the present invention, the video content comprises a stream of  
packets containing the elements of the video. Each packet contains informational headers  
10 indicating the content contained in the packet. Identifier information is placed into informational  
packets that are located within a video stream. These informational packets contain headers  
identifying them as non-video packets. The information packets are not displayed by the video  
viewer, but are used by the identifier creation process to acquire identifier information for each  
whole, segment, or frame of the video.

15 In an embodiment of the present invention, the content comprises graphic or video files  
wherein the identifier information is not located inside of the file itself. To acquire identifier  
information, the process searches the content surrounding the graphic or video on the content  
provider's computer. The process also searches the content of a web page surrounding links to  
the graphic or video, or receives identifier information directly from the content provider.  
20 Alternatively, the identifier information is placed in a file accompanying the graphic or video file.

In an embodiment of the present invention, the process generates identifiers to be searched  
by automatically locating video streams or graphics on the web, reading any associated text  
surrounding any links to the video stream or graphic, and using the text to create an identifier or  
identifiers for a video or graphic file. The process also searches through web sites that contain  
25 video streams or graphics, and using pointers in such web sites that open or click to the video  
stream or graphic or web page containing the video stream or graphic, and "reverse locates" any  
text description of the video stream. Additionally, a database of links contained in a large  
number of other web sites from throughout the world wide web, such as a typical database  
created by a web spider or web crawler, is searched for other web pages with links to the video  
30 or graphics file. After generating an identifier, the process stores the identifier in a database. In  
a preferred embodiment of the present invention, the database is stored in a storage device, such  
as a hard disk, optical disk, floppy disk or similar device.

For example, when a link is used to open a video stream, the process automatically  
searches to find all of the web pages where the link is contained, whether from the same web site  
35 as the video or graphic file or other web site. Once a link to the graphic or video is found, the  
process searches in the "neighborhood" around the link to acquire relevant text information. The  
text in the "neighborhood" or area around the link is likely to contain descriptive and  
informational terms of interest. The closer to the link, the more likely the text is to contain



1 relevant information. Text within the same paragraph, column, or general page area as the link,  
is likely to contain some information that can be placed into a searchable identifier. When more  
than one web page is found that contains links to the video or graphic, a comparison is performed  
on the "neighborhood" text from the various web pages and terms or phrases that appear on more  
5 than one web page. Such terms in common are given more weight in the identifier for the video  
stream. Further, the more of these web pages that include the same terms, the more weight is  
given to these terms in the identifier.

In a preferred embodiment of the present invention, text parsing techniques are used to  
identify relevant lines of text to incorporate into the textual description and other textual fields  
10 such as a date of creation, size, or category of the video in the identifier. Alternatively, keywords  
are used to locate and incorporate relevant information into the textual description and other  
textual fields in the identifier.

In an additional embodiment of the present invention, the process solicits a user to submit  
information regarding a graphic or video file and then generates one or more tags to be inserted  
15 into the area surrounding the link to the graphic or video file. Currently, meta-tags exist for  
describing a page of content, but additional specialized tags may be created to contain identifier  
information for other specific types of content. Once the tags are inserted into the area  
surrounding the link, the automatic identifier creation process creates a searchable link to the  
video or graphic.

20 In an additional embodiment of the present invention, the process solicits a user to submit  
information regarding a graphic or video file. Using the user provided information along with  
the location of the file, the process generates an identifier, and saves the identifier in a database.  
Alternatively, the process solicits a user to submit information regarding a graphic or video file  
and then generates a file to accompany the graphic or video file that contains identifier  
25 information about the graphic or video file.

An embodiment of the present invention allows a user to search through identifiers to  
locate one or more graphics or videos. The process locates and retrieves video and graphic files  
by searching through the identifiers in a database for desired attributes and uses the location  
information in the identifier to acquire the file.

30 In a preferred embodiment of the present invention, as shown in FIG. 4, in response to a  
user request 34, the process generates a search screen 36 containing several fields, each for a  
different searchable attribute, prompting the user to specify the content of each attribute that they  
would like to search by. The process receives the user's search criteria 38 and then conducts a  
search of the various file identifiers in a storage device 40. The process generates a results page  
35 42 listing matches to the user's search criteria. The results page comprises hotlinks to the graphic  
or video files, as well as descriptions and other attributes of the files.

In another embodiment of the present invention, the results page provides a link to a  
detailed information page 44. The process caches a portion of a video, or an attribute of the

1 video, such as an audio segment, or at least one video frame or sub-frame, to enable a user to further identify content. Additionally, the process provides aggregates the identifiers for display to users on the detailed information page.

5 In a preferred embodiment of the present invention, the process assembles a "video guide" that comprises: a text description of a video, a URL or other location indicator for locating a whole, segment, or frame of a video, an audio sample from the video, and "teaser" frames or segments of a video to assist in the identification or promotion of a video. In an embodiment of the present invention, the "video guide" is resident on a central server, in a local unit, or a combination of both.

10 In a more preferred embodiment of the present invention, the "video guide" enables a user to locate, display, download, and record a selected whole, segment, frame, or sub-component of a video. Moreover, the "video guide" allows a user to conduct all of the above operations, as well as finding, selecting, grouping, erasing, concatenating, segmenting, and integrating a class of videos. In a preferred embodiment of the present invention, the "video guide" is a software, 15 firmware, or hardware feature resident in a personal computer or similar device capable of storing video streams.

20 In an additional embodiment of the present invention, the process integrates video or graphic information with a conditional access system or a payment system. The identifier for the video or graphic contains a field indicating whether there is a conditional access or payment system. If there is a conditional access or payment system, then the identifier contains information about the access site or payment system and/or a link to the access site or payment system. In a preferred embodiment of the present invention, the process solicits the user for the authorization information or payment, and only upon proper authorization allows the user to access the video or graphic.

25 In an additional embodiment of the present invention, the process integrates video stream information with television programs that are receivable on the same device enabling the video or graphic search. If there is a link to a television show, the identifier contains a link to that television show and conveys that information to a user. Additionally, the process enables the user to search for video streams and graphics using television links as a searchable attribute.

30 In an additional embodiment of the present invention, the process integrates video stream information with other information, such as guides or lists of other items associated with the video stream. Items associated with the video or graphic include products, services, and web sites. Additionally, the process provides links to other information, whether or not that information is related to the video.

35 In an additional embodiment of the present invention, the process allows the user to customize, program, or set parameters for the usage of the process, such as smart agent filtering, a programmed search of certain types of video streams already in existence, and programmed "alert" searching for types of video streams coming into existence in the future. Additionally,

1 the process provides a means of filtering, selecting or blocking segments or frames in accordance  
with user controls, such as the blocking of violence or nudity from a video.

5 The preceding description has been presented with reference to the presently preferred  
embodiments of the invention shown in the drawings. Workers skilled in the art and technology  
to which this invention pertains will appreciate that alteration and changes in the described  
processes and structures can be practiced without departing from the spirit, principles and scope  
of this invention.

10 Accordingly, the present invention provides for a video search engine. Although this  
invention has been described in certain specific embodiments, many additional modifications and  
variations would be apparent to those skilled in the art. It is therefore to be understood that this  
invention may be practiced otherwise than as specifically described. Thus, the present  
embodiments of the invention should be considered in all respects as illustrative and not  
restrictive, the scope of the invention to be determined by the claims supported by this  
application and their equivalents rather than the foregoing description.

## 1 CLAIMS

1. A method of searching for graphic or video files having corresponding locators used to locate such graphic or video files using a computer comprising:

5 creating an identifier of searchable file information from identifier information related to a graphic or video file;

storing the identifier and the locator for the graphic or video file in a database;

receiving search criteria;

searching the identifiers in the database;

10 sending or displaying the results of the search.

2. The method of searching for graphic or video files using a computer of claim 1 wherein the identifier comprises information comprising at least one of: a unique identification number, format, size, play time, whether sound is contained, date of creation, category, whether conditional access or payment is required, text description, content author, content director, year made, category, actor/actress, owner, star rating, parental control code, representative frame, representative audio, number of segments, number of frames, and linking information of a file.

3. The method of searching for graphic or video files using a computer of claim 1 wherein identifier information is embedded within a graphic or a video file.

4. The method of searching for graphic or video files using a computer of claim 1 wherein identifier information is embedded within the periphery of each frame of a video.

5. The method of searching for graphic or video files using a computer of claim 4 wherein a border is appended to a video file to cover the identifier information.

6. The method of searching for graphic or video files using a computer of claim 1 wherein identifier information is placed in a video or a graphic file as the video or the graphic file is created.

7. The method of searching for graphic or video files using a computer of claim 1 wherein identifier information is placed in a video or a graphic file after the video or graphic file is created.

8. The method of searching for graphic or video files using a computer of claim 1 further comprising storing a portion of a video stream in the database for further identification.

1           9.     The method of searching for graphic or video files using a computer of claim 1  
further comprising aggregating identifier elements to display to a user.

5           10.    The method of searching for graphic or video files using a computer of claim 1  
further comprising enabling a user to select a specific video or a specific graphic file for one or  
more of the following: viewing, saving, erasing, recording, downloading, and sending.

10          11.    The method of searching for graphic or video files using a computer of claim 10  
wherein enabling a user to select a specific file is dependent on and integrated with a conditional  
access system or a payment system.

15          12.    The method of searching for graphic or video files using a computer of claim 1  
further comprising enabling a user to select a class of video or graphic files for one or more of  
the following: viewing, saving, recording, downloading, grouping, erasing, concatenating,  
segmenting, integrating or sending.

20          13.    The method of searching for graphic or video files using a computer of claim 1  
further comprising integrating video or graphic file information with television programs that are  
receivable by the user.

25          14.    The method of searching for graphic or video files using a computer of claim 1  
further comprising integrating items associated with a video or a graphic file into the video or  
graphic file identifier.

30          15.    The method of searching for graphic or video files using a computer of claim 1  
wherein identifier information is acquired by searching an area near a graphic or a video file  
within a web page for searchable identification terms.

35          16.    The method of searching for graphic or video files using a computer of claim 1  
wherein identifier information is acquired by searching an area near a link to a graphic or a video  
file within a web page for searchable identification terms.

40          17.    The method of searching for graphic or video files using a computer of claim 1  
wherein identifier information is acquired by parsing the text in an area within a web page near  
a link to a graphic or a video file.

1           18.    The method of searching for graphic or video files using a computer of claim 1  
wherein identifier information is acquired by searching the text for keywords in an area within  
a web page near a link to a graphic or a video file.

5           19.    The method of searching for graphic or video files using a computer of claim 1  
wherein identifier information is acquired by searching a file related to a graphic or a video file.

          20.    The method of searching for graphic or video files using a computer of claim 1  
wherein identifier information is provided by the content provider.

10           21.    The method of searching for graphic or video files using a computer of claim 1  
wherein the database is stored on a storage device comprising one or more of a hard disk, an  
optical disk, and a floppy disk.

15           22.    A method of selecting graphic or video files having corresponding locators used  
to locate such graphic or video files using a computer comprising:  
          building identifiers by searching an area near a graphic or video file within a web page for  
searchable identification terms;  
          storing the identifiers on a database;  
20           receiving a user request for graphic or video file content;  
          searching the identifiers on the database;  
          providing graphic or video file content to the user.

          23.    A method of selecting graphic or video files having corresponding locators used  
25   to locate such graphic or video files using a computer comprising:  
          building identifiers by searching an area near a link to a graphic or video file within a web  
page for searchable identification terms;  
          storing the identifiers in a database;  
          receiving a user request for graphic or video file content;  
30           searching the identifiers on the database;  
          providing graphic or video file content to the user.

          24.    A method of selecting graphic or video files having corresponding locators used  
to locate such graphic or video files using a computer comprising:  
35           building a searchable database of identifiers;  
          receiving a user request for graphic or video file content;  
          searching the identifiers in the database;  
          providing graphic or video file content to the user.

1           25. The method of selecting graphic or video files using a computer of claim 24 wherein the user request further comprises smart filtering of both existing graphic and video files and future generated graphic and video files.

5           26. The method of selecting graphic or video files using a computer of claim 24 wherein the user request further comprises filtering, selecting or blocking segments or frames of a video file.

10           27. A system for searching for graphic or video files having corresponding locators used to locate such graphic or video files comprising:

          a means for creating an identifier containing searchable file information from identifier information related to a graphic or video file;

          a database for saving an identifier;

          an input for receiving search criterion;

15           a search engine for searching the identifiers in the database;

          an output for sending or displaying the results of the search.

20           28. The system for searching for graphic or video files of claim 27 wherein identifier information comprises information comprising at least one of: a unique identification number, format, size, play time, whether sound is contained, date of creation, category, whether conditional access or payment is required, text description, content author, content director, year made, category, actor/actress, owner, star rating, parental control code, representative frame, representative audio, number of segments, number of frames, and linking information of a file.

25           29. The system for searching for graphic or video files of claim 27 wherein identifier information is embedded within a graphic or a video file.

30           30. The system for searching for graphic or video files of claim 27 wherein identifier information is embedded within the periphery of each frame of a video.

          31. The system for searching for graphic or video files of claim 30 wherein a border is appended to a video file to cover the identifier information.

35           32. The system for searching for graphic or video files of claim 27 further comprising a means for placing identifier information in a video or a graphic file as the video or graphic file is created.

1           33.    The system for searching for graphic or video files of claim 27 further comprising  
a means for placing identifier information in a video or a graphic file after the video or graphic  
file is created.

5           34.    The system for searching for graphic or video files of claim 27 further comprising  
a database for storing a portion of a video stream in the storage device for further identification.

          35.    The system for searching for graphic or video files of claim 27 further comprising  
a means for aggregating identifier elements to send or display to a user.

10           36.    The system for searching for graphic or video files of claim 27 further comprising  
a means enabling the user to select a specific video or a specific graphic file for one or more of  
the following: viewing, saving, erasing, recording, downloading, and sending.

15           37.    The system for searching for graphic or video files of claim 36 wherein enabling  
a user to select a specific file is dependent on and integrated with a conditional access system or  
a payment system.

20           38.    The system for searching for graphic or video files of claim 27 further comprising  
a means for enabling a user to select a class of video or graphic files for one or more of the  
following: viewing, saving, recording, downloading, grouping, erasing, concatenating,  
segmenting, integrating or sending.

25           39.    The system for searching for graphic or video files of claim 27 further comprising  
a means for integrating a video or a graphic file information with television programs that are  
receivable by the user.

30           40.    The system for searching for graphic or video files of claim 27 further comprising  
a means for integrating items associated with a video or a graphic file into the video or graphic  
file identifier.

35           41.    The system for searching for graphic or video files of claim 27 further comprising  
a means for acquiring identifier information by searching an area near a graphic or a video file  
within a web page for searchable identification terms.

          42.    The system for searching for graphic or video files of claim 27 further comprising  
a search engine for acquiring identifier information by searching an area near a link to a graphic  
or a video file within a web page for searchable identification terms.



1           43.    The system for searching for graphic or video files of claim 27 further comprising  
a means for acquiring identifier information by parsing the text in an area within a web page near  
a link to a graphic or a video file.

5           44.    The system for searching for graphic or video files of claim 27 further comprising  
a means for acquiring identifier information by searching the text for keywords in an area within  
a web page near a link to a graphic or a video file.

10           45.    The system for searching for graphic or video files of claim 27 further comprising  
a search engine for acquiring identifier information by searching a file related to a graphic or a  
video file.

15           46.    The system for searching for graphic or video files of claim 27 further comprising  
an input for receiving identifier information from the content provider.

20           47.    The method of searching for graphic or video files using a computer of claim 27  
further comprising a storage device wherein the database is stored comprising one or more of a  
hard disk, an optical disk, and a floppy disk.




Fig. 1

2/4




Fig. 2




Fig. 3

4/4




Fig. 4

## INTERNATIONAL SEARCH REPORT

International application No.  
PCT/US99/28358

## A. CLASSIFICATION OF SUBJECT MATTER

IPC(6) : H04N 7/10, 7/14

US CL : 345/327; 348/12, 13, 6, 10; 455/3.1, 6.1, 6.2, 6.3

According to International Patent Classification (IPC) or to both national classification and IPC

## B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

U.S. : 345/327; 348/12, 13, 6, 10; 455/3.1, 6.1, 6.2, 6.3

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

NONE

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)

APS - database, id, identifier, user, subscriber, request, data, information, graphic

## C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	US 5,659,742 A (BEATTIE et al) 19 August 1997, col. 3, line 59 - col. 7, line 10, col. 13, line 29, - col. 14, line 51, col. 15, line 51, col. 16, line 12, fig. 1, fig. 3, fig. 4a	1-47
A	US 5,734,886 A (GROSSE et al) 31 March 1998	1-47

☐ Further documents are listed in the continuation of Box C. ☐ See patent family annex.

* Special categories of cited documents	*T* later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
*A* document defining the general state of the art which is not considered to be of particular relevance	*X* document of particular relevance, the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
*E* earlier document published on or after the international filing date	*Y* document of particular relevance, the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art
*I* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)	*Z* document member of the same patent family
*O* document referring to an oral disclosure, use, exhibition or other means	
*P* document published prior to the international filing date but later than the priority date claimed	

Date of the actual completion of the international search 27 FEBRUARY 2000	Date of mailing of the international search report 20 MAR 2000
Name and mailing address of the ISA/US Commissioner of Patents and Trademarks Box PCT Washington, D.C. 20231 Facsimile No. (703) 305-3230	Authorized officer Vivek Srivastava <i>James R. Matthews</i> Telephone No. (703) 305 - 4038

Form PCT/ISA/210 (second sheet)(July 1992)\*